Neuroscience Letters, 193 (1995) 211–213
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Akahane, K., see Imanishi, T., 81
Akaike, N., see Imanishi, T., 81
Akaneya, Y, Takahashi, M., Hatanaka, H., Involvement of free radicals in MPP^+ neurotoxicity against rat dopaminergic neurons in culture, 53
Arnetoli, G., see Zappoli, R., 140
Arregui, A., see Chávez, J.C., 169
Asari, S., see Fukuhara, T., 133
Atlas, D., see Gilad, B., 157

Babbedge, R., Dray, A., Urban, L., Bradykinin depolarises the rat isolated superior cervical ganglion via B_2 receptor activation, 161
Baker, H., see Cubells, J.F., 189
Ballabriga, J., see Ferrer, I., 109
Bastone, A. see Monno, A., 45
Baumann, M.H., Rothman, R.B., Repeated cocaine administration reduces 5-HT_{1A}-mediated prolactin secretion in rats, 9
Ben-Ari Y., see Bernard, C., 197
Bennett, M.R., see Motin, L.G., 21
Bergeron, C., see Ledoux, S., 137
Bernard, C., Hirsch, J., Ben-Ari Y., Non-involvement of the redox site of NMDA receptors in bidirectional synaptic plasticity in the CA1 area of the rat hippocampus in vitro, 197
Beyer, L., see Weiss, T., 153
Biggs, C.S., see Maione, S., 181
Blanco, R., see Ferrer, I., 109
Blandizzi, C., Natale, G., Carignani, D., Colucci, R., Lazzeri, G., Del Tacca M., Central administration of cholecystokinin stimulates gastric pepsinogen secretion from anaesthetized rats, 13
Boero, J., see Chávez, J.C., 169
Bolaños, J.P., see Brown, G.C., 201
Bouras, C., see Eymin, C., 41
Branston N.M., see Umemura, A., 193
Brenner, H.R., see Herczeg, A, 33
Brown, G.C., Bolaños, J.P., Heales, S.J.R., Clark, J.B., Nitric oxide produced by activated astrocytes rapidly and reversibly inhibits cellular respiration, 201

Carignani, D., see Blandizzi, C., 13
Cashman, N.R., see Ledoux, S., 137
Chan, J., see Pickel, V.M., 89
Charnay, Y., see Eymin, C., 41
Chávez, J.C., Boero, J., Arregui, A., Reduced mitochondrial respiration in mouse cerebral cortex during chronic hypoxia, 169
Christie, M.J., see Motin, L.G., 21
Cinós, C., see Ferrer, I., 109
Clark, J.B., see Brown, G.C., 201
Colucci, R., see Blandizzi, C., 13
Crook, D.K., see Pow, D.V., 25
Cruwys, S.C., Garrett, N.E., Kidd, B.L., Sensory denervation with capsaicin attenuates inflammation and nociception in arthritic rats, 205
Cubells, J.F., Baker, H., Volpe, B.T., Smith, G.P., Das, S.S., Joh, T.H., Innervation-independent changes in the mRNAs encoding tyrosine hydroxylase and the norepinephrine transporter in rat adrenal medulla after high-dose reserpine, 189

Das, S.S., see Cubells, J.F., 189
Del Tacca M., see Blandizzi, C., 13
Dohle, C., see Ebert, D., 145
Dray, A., see Babbedge, R., 161

Ebert, D., Hefter, H., Dohle, C., Freund, H.-J., Ataxic breathing during alternating forearm movements of various frequencies in cerebellar patients, 145
Empson, R.M., Gloveli, T., Schmitz, D., Heinemann, U., Electrophysiology and morphology of a new type of cell within layer II of the rat lateral entorhinal cortex in vitro, 149
Erfurth, A., Holmes, T.C., Effects of unilateral lesion of the nucleus basalis magnocellularis on carbachol- and serotonin-stimulated [^{3}H]inositolmonophosphate accumulation in rat fronto-parietal cortex, 68
Eymin, C., Charnay, Y., Greggio, B., Bouras, C., Localization of noradrenaline transporter mRNA expression in the human locus coeruleus, 41

Faussone-Pellegrini M.S., see Matini, P., 17
Ferrer, I., Olivé, M., Blanco, R., Ballabriga, J., Cinós, C., Planas, A.M., Amoeboid microglial response following X-ray-induced apoptosis in the neonatal rat brain, 109
Fowler, L.J., see Maione, S., 181
Freund, H.-J., see Ebert, D., 145
Fukamauchi, F., see Ishimaru, M., 1
Fukuda, H., Koga, T., Stimulation of glossopharyngeal and laryngeal nerve afferents induces expulsion only when it is applied during retching in paralyzed decerebrate dogs, 117
Fukuhara, T., Ono, Y., Kawauchi, M., Asari, S., Ohmoto, T., Expression of Cu,Zn-superoxide dismutase mRNA after cold and contusion injury in the rat brain, 133
Fukuuchi, Y., see Haapaniemi, H., 121

Gainetdinov, R.R., Sotnikova, T.D., Grekhova, T.V., Rayevsky, K.S., Estimation of the interstitial free concentration of the putative dopamine D3 receptor selective agonist 7-OH-DPAT in the dorsal striatum of freely moving rats, 65
Garattini, S., see Monno, A., 45
Garrett, N.E., see Cruwys, S.C., 205
Gauthier, S., see Ledoux, S., 137
Gibbins, I.L., Olsson, C., Holmgren, S., Distribution of neurons reactive for NADPH-diaphorase in the branchial nerves of a teleost fish, *Gadus morhua*, 113
Gilad, B., Shenkar, N., Halevi, S., Trus, M., Atlas, D., Identification of the alternative spliced form of the $\alpha 2/\delta$ subunit of voltage sensitive Ca^{2+} channels expressed in PC12 cells, 157
Gloveli, T., see Empson, R.M., 149
Gonatas, N.K., see Salehi, A., 29
Grazia Arneodo, M., see Zappoli, R., 140
Greggio, B., see Eymin, C., 41
Grekhova, T.V., see Gainetdinov, R.R., 65

Haapaniemi, H., Tomita, M., Tanahashi, N., Takeda, H., Yokoyama, M., Fukuuchi, Y., Non-amoeboid locomotion of cultured microglia obtained from newborn rat brain, 121
Hagemann, G., see Neumann-Haefelin, T., 101
Halevi, S., see Gilad, B., 157
Han, L., Rowland, N.E., Sodium depletion and Fos-immunoreactivity in lamina terminalis, 173
Hansen, E., see Weiss, T., 153
Harada, M., see Mogi, M., 129
Hatanaka, H., see Akaneya, Y, 53
Heales, S.J.R., see Brown, G.C., 201
Hefter, H., see Ebert, D., 145
Heinemann, U., see Empson, R.M., 149
Herczeg, A., Jones, G., Brenner, H.R., Involvement of extracellular matrix in acetylcholine receptor ε-subunit gene expression at the rat neuromuscular junction, 33
Heyn, S., see Salehi, A., 29
Hirsch, J., see Bernard, C., 197
Holmes, T.C., see Erfurth, A., 68
Holmgren, S., see Gibbins, I.L., 113

Ibba Manneschi, L., see Matini, P., 17
Imanishi, T., Akahane, K., Akaike, N., Attenuated inhibition by levofloxacin, *l*-isomer of ofloxacin, on GABA response in the dissociated rat hippocampal neurons, 81
Inoué, S., see Zhang, S.-Q., 125
Ishimaru, M., Fukamauchi, F., Olney, J.W., Halothane prevents MK-801 neurotoxicity in the rat cingulate cortex, 1

Jalc, P., see Marsala, J., 97
Joh, T.H., see Cubells, J.F., 189
Jones, G., see Herczeg, A., 33
Jouvet, M., see Petit, J.-M., 77

Kashiwayanagi, M., Kurihara, K., Odor responses after complete desensitization of the cAMP-dependent pathway in turtle olfactory cells, 61
Kawauchi, M., see Fukuhara, T., 133
Kida, E., Wisniewski, K.E., Wisniewski, H.M., Early amyloid-β deposits show different immunoreactivity to the amino- and carboxy-terminal regions of β-peptide in Alzheimer's disease and Down's syndrome brain, 105
Kidd, B.L., see Cruwys, S.C., 205
Kimura, M., see Zhang, S.-Q., 125
Koga, T., see Fukuda, H., 117
Kondo, T., see Mogi, M., 129
Kurihara, K., see Kashiwayanagi, M., 61

Lakhdar-Ghazal, N., Oukouchoud, R., Pévet, P., Seasonal variation in NPY immunoreactivity in the suprachiasmatic nucleus of the jerboa (*Jaculus orientalis*), a desert hibernator, 49
Lazzeri, G., see Blandizzi, C., 13
Ledoux, S., Bergeron, C., Nalbantoglu, J., Gauthier, S., Cashman, N.R., Polymerase chain reaction quantification of lymphoid amyloid precursor protein mRNAs in Alzheimer's disease and Down's syndrome, 137
Li, C., see Wright, J.M., 177
Luppi, P.-H., see Petit, J.-M., 77

Maione, S., Biggs, C.S., Rossi, F., Fowler, L.J., Whitton, P.S., α-Amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptors modulate dopamine release in rat hippocampus and striatum, 181
Marsala, J., Sulla, I., Jalc, P., Orendacova, J., Multiple protracted cauda equina constrictions cause deep derangement in the lumbosacral spinal cord circuitry in the dog, 97
Matini, P., Ibba Manneschi, L., Mayer, B., Faussone-Pellegrini M.S., Nitric oxide producing neurons in the human colon: an immunohistochemical and histoenzymatical study, 17
Mayer, B., see Matini, P., 17
McLarnon, J.G., Inactivation of a high conductance calcium dependent potassium current in rat hippocampal neurons, 5
Mogi, M., Harada, M., Kondo, T., Narabayashi, H., Riederer, P., Nagatsu, T., Transforming growth factor-β1 levels are elevated in the striatum and in ventricular cerebrospinal fluid in Parkinson's disease, 129
Monno, A., Vezzani, A., Extracellular glutamate levels in the hypothalamus and hippocampus of rats after acute or chronic oral intake of monosodium glutamate, 45
Moore, C.E.G., Schady, W., Cutaneous localisation of laser induced pain in humans, 208
Morales Mulia, M., see Sánchez-Olea, R., 165
Morán, J., see Sánchez-Olea, R., 165
Motin, L.G., Bennett, M.R., Christie, M.J., Opioids acting on δ-receptors modulate Ca^{2+} currents in cultured postganglionic neurones of avian ciliary ganglia, 21

Nagatsu, T., see Mogi, M., 129
Nalbantoglu, J., see Ledoux, S., 137
Narabayashi, H., see Mogi, M., 129
Natale, G., see Blandizzi, C., 13
Neering I.R., see Villière, V., 57
Neumann-Haefelin, T., Hagemann, G., Witte, O.W., Cellular correlates of neuronal hyperexcitability in the vicinity of photochemically induced cortical infarcts in rats in vitro, 101

O'Regan, M.H., Perkins, L.M., Phillis, J.W., Arachidonic acid and lysophosphatidylcholine modulate excitatory transmitter amino acid release from the rat cerebral cortex, 85
Ohmoto, T., see Fukuhara, T., 133
Olivé, M., see Ferrer, I., 109
Olney, J.W., see Ishimaru, M., 1
Olsson, C., see Gibbins, I.L., 113
Ono, Y., see Fukuhara, T., 133
Orendacova, J., see Marsala, J., 97
Oukouchoud, R., see Lakhdar-Ghazal, N., 49

Paganini, M., see Zappoli, R., 140
Pasantes-Morales, H., see Sánchez-Olea, R., 165
Perkins, L.M., see O'Regan, M.H., 85
Petit, J.-M., Luppi, P.-H., Peyron, C., Rampon, C., Jouvet, M., VIP-like immunoreactive projections from the dorsal raphe and caudal linear raphe nuclei to the bed nucleus of the stria terminalis demonstrated by a double immunohistochemical method in the rat, 77
Pévet, P., see Lakhdar-Ghazal, N., 49
Peyron, C., see Petit, J.-M., 77
Phillis, J.W., see O'Regan, M.H., 85
Pichiule, P., see Chávez, J.C., 169
Pickel, V.M., Chan, J., Co-localization of angiotensin II and

gamma-aminobutyric acid in axon terminals in the rat subfornical organ, 89
Planas, A.M., see Ferrer, I., 109
Poggiolini, D., see Zappoli, R., 140
Pow, D.V., Crook, D.K., Immunocytochemical evidence for the presence of high levels of reduced glutathione in radial glial cells and horizontal cells in the rabbit retina, 25

Rampon, C., see Petit, J.-M., 77
Rayevsky, K.S., see Gainetdinov, R.R., 65
Riederer, P., see Mogi, M., 129
Rossi, F., see Maione, S., 181
Rost, R., see Weiss, T., 153
Rothman, R.B., see Baumann, M.H., 9
Rowland, N.E., see Han, L., 173

Salehi, A., Heyn, S., Gonatas, N.K., Swaab, D.F., Decreased protein synthetic activity of the hypothalamic tuberomamillary nucleus in Alzheimer's disease as suggested by smaller Golgi apparatus, 29
Salmona, M., see Monno, A., 45
Sánchez-Olea, R., Morales Mulia, M., Morán, J., Pasantes-Morales, H., Inhibition by dihydropyridines of regulatory volume decrease and osmolyte fluxes in cultured astrocytes is unrelated to extracellular calcium, 165
Schady, W., see Moore, C.E.G., 208
Schmalz, T., see Weiss, T., 153
Schmidt, W.J., see Tzschentke, T.M., 37
Schmitz, D., see Empson, R.M., 149
Schröger, E., Winkler, I., Presentation rate and magnitude of stimulus deviance effects on human pre-attentive change detection, 185
Segal, M., Morphological alterations in dendritic spines of rat hippocampal neurons exposed to *N*-methyl-D-aspartate, 73
Shenkar, N., see Gilad, B., 157
Smith, G.P., see Cubells, J.F., 189
Sotnikova, T.D., see Gainetdinov, R.R., 65
Sulla, I., see Marsala, J., 97
Sust, M., see Weiss, T., 153
Swaab, D.F., see Salehi, A., 29

Takahashi, M., see Akaneya, Y, 53
Takeda, H., see Haapaniemi, H., 121
Tanahashi, N., see Haapaniemi, H., 121
Tang, X.-d., Tong, Z.-q., An adenosine triphosphate (ATP)-sensitive K^+ channel of rat neocortical neurons is bi-gated by intracellular ATP and voltage: a novel channel gating mechanism?, 93
Tomita, M., see Haapaniemi, H., 121
Tong, Z.-q., see Tang, X.-d., 93
Trus, M., see Gilad, B., 157
Tzschentke, T.M., Schmidt, W.J., *N*-Methyl-D-aspartic acid-receptor antagonists block morphine-induced conditioned place preference in rats, 37

Umemura, A., Branston N.M., Cerebrovascular parasympathetic innervation contributes to coupling of neuronal activation and blood flow in rat somatosensory cortex, 193
Urban, L., see Babbedge, R., 161

Versari, A., see Zappoli, R., 140
Vezzani, A., see Monno, A., 45
Villière, V., Neering I.R., Noradrenaline effects on cultured rat sensory neurones exposed to morphine in utero or in vitro, 57
Volpe, B.T., see Cubells, J.F., 189

Weiss, T., Sust, M., Beyer, L., Hansen, E., Rost, R., Schmalz, T., Theta power decreases in preparation for voluntary isometric contractions performed with maximal subjective effort, 153
Whitton, P.S., see Maione, S., 181
Winkler, I., see Schröger, E., 185
Wisniewski, H.M., see Kida, E., 105
Wisniewski, K.E., see Kida, E., 105
Witte, O.W., see Neumann-Haefelin, T., 101
Wright, J.M., Li, C., Zn^{2+} potentiates steady-state ATP activated currents in rat nodose ganglion neurons by increasing the burst duration of a 35 pS channel, 177

Yokoyama, M., see Haapaniemi, H., 121

Zappoli Thyrion, E., see Zappoli, R., 140
Zappoli, F., see Zappoli, R., 140
Zappoli, R., Zappoli, F., Versari, A., Arnetoli, G., Paganini, M., Grazia Arneodo, M., Poggiolini, D., Zappoli Thyrion, E., Cognitive potentials: ipsilateral corticocortical interconnections in prefrontal human cortex ablations, 140
Zhang, S.-Q., Kimura, M., Inoué, S., Sleep patterns in cyclic and pseudopregnant rats, 125